

DETAILS ARE NOT DETAILS THEY MAKE THE DESIGN ⁶⁶

CHARLES EAMES

CONTENT

INTRODUCTION 4 COMPANY 4

INFORMATION 6 BIOETHANOL 6 SAFETY 8 QUALITY 10 TECHNOLOGY 12

DESIGN COLLECTION 14 WALL MODELS 34 FLOOR MODELS 40 TABLE TOP MODELS 44 FIRE OBJECTS 46

ARCHITECTS COLLECTION 54 FROM SKETCH TO REALITY 56 BUILT-IN FIREPLACES 58 MADE TO MEASURE FIREPLACE INSERTS 64 DROP-IN BURNERS 72

COMPANY

SPARTHERM - THE FIRE COMPANY

Since the year of foundation in 1986, the German manufacturer of innovative heating solutions SPARTHERM has become a synonym for innovative, high quality stoves, fireplace inserts, cassettes, gas- and – of course - bioethanol fires.

In two factories with 25,000m² production space each, equipped with state-of-the-art production machinery, Spartherm's over 900 employees pride themselves in developing and manufacturing annually over 60.000 heating products which meet the most discerning customer's

expectations of quality, safety, functionality and design.



Brand

In order to respond to an increasing demand for flue-less fireplace alternatives, Spartherm have relaunched their range of exclusive bioethanol fires branded **ebios-fire**[®] on an international level. Comprising a wide selection of standard fire models (wall and floor models) as well as built-in bioethanol fireplaces which are also offered in custom-made dimensions, all **ebios-fire**[®] bioethanol fireplaces provide highest quality, safety and beautiful design which allow creation of an uncomplicated, versatile and stunning focal point in any interior.

In close cooperation with architects and interior designers, the dedicated **ebios-fire**[®] experts at Spartherm realise bespoke bioethanol fire applications in luxury developments, private residences, regal palaces, offices, hotels, restaurants and spas worldwide.

ebios-fire[®] products are sold via an extensive, independent retail network of specialist- and designer stores in a vast and increasing number of countries.

PHILOSOPHY

We are proud to be a very successful family-run business, driven by our dedication to highest quality and product safety, which is paired with our passion about exclusive, functional design.

This passion and dedication enables our expert team to create magical moments around mesmerising flames for our customers.

We thrive on excellence in customer service, which we provide at all levels to business partners and customers with whom we share our burning passion for fire.

•••••

BIOETHANOL - THE GREEN CHOICE

Fireplaces from **ebios-fire**[®] are exclusively fuelled with bioethanol – or simply "ethanol" – which is green, non-fossil fuel made by fermenting the sugar and starch components of organic matter – mainly sugarcane, potatoes and crops like grain or even hay.

Bioethanol creates only a small amount of CO_2 and water vapour when burning, which means that – if used in **ebios-fire**[®] burners – it has a clean combustion without any smoke, smell and soot emission and with no need for a chimney or flue.



As an alcohol-based liquid, bioethanol changes its form from liquid to gas at around 17°C. The developing vapours are heavier than air and remain therefore on top of the surface of the liquid bioethanol. Therefore, it is only the bioethanol gas, which is burning when lit and not the liquid itself.

As a renewable energy source, today bioethanol has many uses: blended with petrol, it makes transport fuel more sustainable. It is used in production processes of the cosmetics-, medical- and food industries. And – last but not least – when used in **ebios-fire**[®] appliances, it creates a beautiful, lively flame which burns without odour or leaving a residue.

Clean Emission

As bioethanol is entirely composed of biological matter, its combustion results in a clean emission of only water vapour and carbon dioxide. Carbon dioxide or CO2 is absorbed by plants, which processes it via photosynthesis to help the plant grow. This infinite cycle of creation and combustion of energy – in a way "recycling of energy" – renders bioethanol a carbon-neutral fuel.

EFFICIENT GREEN ENERGY

All **ebios-fire**[®] appliances are technically engineered in such a manner that their combustion temperature secures not only a minimum fuel consumption but also a clean combustion of bioethanol. This means in turn that a chimney or flue are not needed and thus that 100% of the heat generated are kept indoors.

STORAGE AND HANDLING

Bioethanol is a Class 1B Flammable Liquid (for flammability) and rated Class 3 PGII (for transport) and is therefore regulated by various standards around the world.

Local regulations for storage of bioethanol might be in place.

BIOETHANOL FOR EBIOS-FIRE® APPLIANCES

All **ebios-fire**[®] burners should be operated only with bioethanol of at least 96% but max. 97.5% purity. We recommend **ebios-fire**[®] bioethanol of 96%.

FUEL CONSUMPTION

Unlike wood or gas burning fireplaces, the flame behaviour seen in bioethanol fireplaces is very much influenced by airflow around the burner and draft conditions, which prevail in the individual setting. Both can have an undesired effect on the combustion temperature and the fuel consumption.

Supporting our customers with our expertise and technical knowhow enables them to create not only a stunning focal point but also a perfectly functional and safe to operate bioethanol fireplace.

For more information about fuel consumption for a specific **ebios-fire**[®] model, please refer to the details on this product.

.....

SAFETY

The combination of liquid combustible, people and an open flame can be a dangerous one. Therefore, we have designed all **ebios-fire**[®] burners and fireplaces with a maximum of user safety and intuitive operating processes in mind.

Each **ebios-fire**[®] appliance is extensively tested in our factory laboratory where we monitor fuel consumption, heat output, flame behaviour and material durability. Furthermore, the majority of all **ebios-fire**[®] burners and fireplace models is safety tested and certified by TÜV Germany.

Since 2009, Spartherm has been a member of the Expert Panel in charge of formulating a new European Standard for bioethanol fireplaces, which will be introduced throughout Europe in the near future.

Through our cooperation with other European manufacturers of bioethanol fires, biochemists as well as Standardisation and Consumer Safety Organisations we were able to intensify our expertise – which we utilise daily in order to create products which are designed giving safety, functionality and quality highest priority.

All **ebios-fire**[®] appliances leave the factory lab-tested and carefully packaged in order to prevent transport damage. Each **ebios-fire**[®] burner features safety pictograms which guide the user confidently and safely to operate the fireplace. Furthermore, a dedicated User Manual is included with each fireplace, in which the user will find valuable information about the fireplace, its installation, use and maintenance as well as about the bioethanol needed in order to fuel the fireplace.

CUSTOMER RESPONSIBILITY

With all the effort dedicated to creating the safest bioethanol fireplace models providing a truly magical experience for our customers, it is, however, our *customers* who bear the final responsibility when it comes to safely operating their **ebios-fire**[®] appliance.

Therefore, we would like to emphasise the importance of adhering to the following safety rules:

DO read the manual and adhere to all instructions given therein. Let everyone who will operate the fire read the manual as well.

We strongly advise against any amendment of any components or the design of **ebios-fire**[®] appliances. This includes the use of decorative ceramic items like logs or pebbles in the flames.

ROOM AIR QUALITY

Contrary to common believe, it is not primarily the consumption of oxygen which decreases the room air quality, but rather the formation of CO_2 . Carbon Dioxide is a trace gas which is naturally contained in air, but it is also produced by plants, animals, humans and – of course – any combustion process like the burning of bioethanol.

2 humans produce around 75g of CO_2 per hour. A fire which burns 0.5 litres of bioethanol per hour produces 740g of CO_2 .

The secondary factor influencing the room air quality is the consumption of Oxygen. Air contains in average 21% of oxygen. This means that a room of 40m² with a ceiling height of 2.5m (100m³) contains 27kg of oxygen.

2 resting adult humans consume around 55g of oxygen per hour. A fire which burns 0.5 litres of bioethanol per hour consumes 800g of oxygen.


And last but not least, the air exchange rate is the factor which helps to compensate for both the CO_2 emission and the oxygen consumption.

In order to keep the indoors climate at its best, i.e. the room air quality as high as possible during operation of a bioethanol fire, it is essential carefully to plan the size of the burner considering the room size, its volume and ventilation. The qualified **ebios-fire**[®] staff is here to help with expert advice.

•••••

QUALITY

All **ebios-fire**[®] models are manufactured in our two modern production facilities which are equipped with cutting-edge technology machinery like welding robots, laser cutters and powder-coating lines. Our well-trained staff lovingly hand-finishes each fireplace model before it under-goes an extensive test programme in our laboratory.



.

,, A HOUSE IS NOT A HOME UNLESS IT CONTAINS FOOD AND FIRE FOR THE MIND AS WELL AS THE BODY. "

BENJAMIN FRANKLIN

T E C H N O L O G Y

As the core element in our entire range of bioethanol fireplaces, the **ebios-fire**[®] wick or automatic burners offer a wealth of possibilities. Without the need for a flue or chimney installation using is possible just about anywhere.

THE WICK BURNER

Featuring a patented wick-feeding technology which allows a safe, deflagration-free ignition this burner type has been safety tested and approved by TÜV Germany against the German Standard DIN 4734-1. The **ebios-fire**[®] Wick Burner can be considered one of the safest bioethanol burners currently on the market. It comes in flame widths of 400 / 500 / 600 and 700mm, which makes it possible to place several burners in a row in order to achieve a continuous, ribbon-like flame display. The volume of the burner tanks, which are pressure tested against leakage, varies in accordance with the burner size, together with the heat output. This burner type is an integral part of most models in our design collection.



SCHOTT ROBAX[®] glass panels surrounding the burner do not only reflect the mesmerising flames beautifully but also add to safety and functionality of the burner/s.

SAFETY FEATURES

- pressure tested tank assembly
- glass gauge with fuel level indicator
- screw-cap for fuel inlet
- pressure valve
- sealed fuel tank and wick system prevents fuel spillage if tilted

THE AUTOMATIC BURNER

The automatic **ebios-fire**[®] burner featuring pumps which feed bioethanol into a trough of either 500 or 1000mm width can be operated by remote control (on/off). The same patented technology is also applied for the round **ebios-fire**[®] burner. The fuel supply is kept in 5 liter jerry cans which are placed either underneath the fire or at a remote location. Alternatively, the burner can feature a tank which then is an integral part of the appliance.

SAFETY FEATURES

- fuel level sensor in flame tray
- humidity sensors at critical locations (leakage detectors)
- temperature sensors (no flame, no fuel and automatic cut-off if overheating)
- automatic cut-off after 8 hours of operation
- acoustic error signal

"ANY SUFFICIENTLY ADVANCED TECHNOLOGY IS INDISTINGUISHABLE FROM MAGIC."

ARTHUR C. CLARKE

.....



Transform your interior with a warming centrepiece chosen from the **ebios-fire**[®] Design Collection. This ready to use fireplace model selection does not require a flue or chimney and is easily installed within a matter of minutes.

Whether wall-mounted or freestanding, should you move home, just take your ebios-fire[®] designer piece with you. Or relocate your focal point from one room to another or onto the terrace on long summer evenings creating instant cosiness.

Create your favourite look without the need for a flue, chimney, electrical connection or extensive building works. Just unwrap, place into position or fix to the wall, read the manual and you are ready to enjoy a real fire.

The award winning, elegant **Elipse Z** can be placed anywhere in a room allowing a view of its mesmerising flames all around.







Jum Hundleman

With its oval body shape and square reflective glass back panel, the ebios-fire[®] Elipse Wall beautifully combines elegant style with functionality and safety.





(

Square, stylish, classy – and ideal for smaller rooms: The **Quadra Wall** is one of the most compact models of the **ebios-fire**[®] Designer Collection.









With its streamlined and clean lines, the **Elipse Case** beautifully combines function with style. Featuring chrome side details, which reflect details of the surrounding ambience, the Elipse Case is both modern and smart – designed to add sophistication to most contemporary surrounds.











As one of the bestselling wall-mounted bio fireplaces of the **ebios-fire**® Designer Collection the **Oxford** Series features sleek, uncluttered lines which will enhance most contemporary settings. Both modern and smart, the Oxford series offers maximum practically and safety at minimum installation effort.









"The sleek appearance of the **ebios-fire**® **Tower** adorns any décor in- or outdoors. One lasting impression."

The perfect accessory for contemporary living, the **Cambridge** fireplace models are ideal for installation in apartments, houses and commercial premises such as bars and restaurants. The two different burner sizes of 400mm and 600mm cater perfectly for smaller and medium room sizes.

)NIN






CON- COL

High Quality Design ausgezeichnet als:

BIO-ETHANOL KAMIN DES JAHRES BESTES PRODUKT DES JAHRES 2012



ta aP





The **Elipse Z** was awarded with the Plus X AWARD for Quality and Design. Furthermore the Elipze Z became "Product of the year" 2012. This is one of the most, successful models of our **ebios-fire**® brand and still is today.



ebios-fire[®] Elipse Case - streamlined, elegant. Functionality and design in a perfect harmony.







DESIGN Collection Specifications



CAMBRIDGE 400 WALL MODEL



CAMBRIDGE 600 WALL MODEL



ELIPSE WALL WALL MODEL



OXFORD 600 WALL MODEL



OXFORD 700 WALL MODEL




QUADRA WALL WALL MODEL



ELIPSE CASE FLOOR MODEL



TOWER FLOOR MODEL




ELIPSE Z FLOOR MODEL



ARCHITECTURE SL FLOOR MODEL



ELIPSE BASE TABLE TOP MODEL



QUADRA BASE TABLE TOP MODEL



FENIX BORA FIRE-OBJECT



LIBERTY FIRE-OBJECT



FENIX SCIROCCO FIRE-OBJECT



LAVELA MINI FIRE-OBJECT



LAVELA MIDI FIRE-OBJECT




THE CITY FLOOR MODEL



LAVELA GRANDE FIRE-OBJECT

ELIPSE WALL




Finish	Matt white, matt black, brushed stainless steel or chrome against a black glass panel
	······································
Material	Steel, stainless steel and ROBAX® Glass
Weight	24 kg
Burner Type	Wick burner
Tank Volume	2.6 litres
Min. Room Volume	84 m ³
Burning Duration	5 hours
••••••	

With its oval body shape and square reflective glass back panel, the **ebios-fire**[®] Elipse Wall beautifully combines elegant style with functionality and safety.

Available in four different finishes the Elipse Wall incorporates the patented wick-burner which is lined by two hardened glass panels reflecting a mesmerising line of lively dancing flames.

The Elipse Wall is fuelled by bioethanol, an environmentally friendly, renewable energy source.




QUADRA WALL



Finish	Brushed stainless steel or black against a black glass panel
Material	Steel, stainless steel and ROBAX [®] Glass
Weight	25 kg
Burner Type	Wick burner
Tank Volume	2.6 litres
Min. Room Volume	84 m³
Burning Duration	5 hours

Square, stylish, classy – and ideal for smaller rooms: The Quadra Wall is one of the most compact models of the **ebios-fire**[®] Designer Collection. Easily fitted to any type of wall in literally a matter of minutes, its minimalist, clean lines make the Quadra Wall an ideal companion on rainy days and long, dark evenings.

Its stainless steel firebox allows a wide flame picture, which is flanked by two hardened glass panels. Adding to safety, they create beautiful reflections of a ribbon-like calmly dancing fire.



OXFORD 600




Finish	High gloss white, high gloss black,
	brushed stainless steel or chrome
Material	Steel, stainless steel and ROBAX [®] Glass
Weight	21 kg wall-mounted - 29 kg built-in
Burner Type	Wick burner
Tank Volume	2.47 litres
Min. Room Volume	96 m³
Burning Duration	5 hours

As one of the bestselling wall-mounted bio fireplaces of the **ebios-fire**[®] Designer Collection the Oxford Series features sleek, uncluttered lines which will enhance most contemporary settings. Both modern and smart, the Oxford series offers maximum practically and safety at minimum installation effort.

Essentially a rectangular-shaped wall-hung fireplace with a low glass screen in front of the flames, the Oxford comes in two sizes: 600 and 700 which refer to the burner width in millimetres. This makes this series suitable for medium size and larger rooms.

Both Oxford models are also available as built-in fires, which leave only 50mm protruding out of the wall cavity.



OXFORD 700




•••••	
Finish	High gloss white, high gloss black,
	brushed stainless steel or chrome
Material	Steel, stainless steel and ROBAX® Glass
Weight	27 kg wall-mounted - 37 kg built-in
Burner Type	Wick burner
Tank Volume	2.88 litres
Min. Room Volume	111 m ³
Burning Duration	5 hours
•••••	

As one of the bestselling wall-mounted bio fireplaces of the **ebios-fire**[®] Designer Collection the Oxford Series features sleek, uncluttered lines which will enhance most contemporary settings. Both modern and smart, the Oxford series offers maximum practically and safety at minimum installation effort.

Essentially a rectangular-shaped wall-hung fireplace with a low glass screen in front of the flames, the Oxford comes in two sizes: 600 and 700 which refer to the burner width in millimetres. This makes this series suitable for medium size and larger rooms.

Both Oxford models are also available as built-in fires, which leave only 50mm protruding out of the wall cavity.



CAMBRIDGE 400




••••••	
Finish	Black back panel and clear glass front
Material	Aluminium, stainless steel and Glass
Weight	19 kg
Burner Type	Wick burner
Tank Volume	1.65 litres
Min. Room Volume	65 m³
Burning Duration	5 hours

The two models of the **ebios-fire**[®] Cambridge Series come with a toughened glass panel front which is held by four solid, beautifully turned stainless steel rods.

The perfect accessory for contemporary living, the Cambridge fireplace models are ideal for installation in apartments, houses and commercial premises such as bars and restaurants. The two different burner sizes of 400mm and 600mm cater perfectly for smaller and medium room sizes.

The Cambridge series, like all models in the **ebios-fire**[®] Designer Collection, is fuelled by bioethanol - an environmentally friendly, renewable energy.



CAMBRIDGE 600




<u>.</u>	
Finish	Black back panel and clear glass front
Material	Aluminium, stainless steel and Glass
Weight	27 kg
Burner Type	Wick burner
Tank Volume	2.47 litres
Min. Room Volume	96 m³
Burning Duration	5 hours


The two models of the **ebios-fire**[®] Cambridge Series come with a toughened glass panel front which is held by four solid, beautifully turned stainless steel rods.

The perfect accessory for contemporary living, the Cambridge fireplace models are ideal for installation in apartments, houses and commercial premises such as bars and restaurants. The two different burner sizes of 400mm and 600mm cater perfectly for smaller and medium room sizes.

The Cambridge series, like all models in the **ebios-fire**[®] Designer Collection, is fuelled by bioethanol - an environmentally friendly, renewable energy.



ELIPSE Z



Finish	High gloss white, high gloss black, matt white or matt black with chrome stand brushed stainless steel or chro- me with black stand, matt black with copper stand
Material	Steel, stainless steel and ROBAX® Glass
Weight	44,5 kg
Burner Type	Wick burner
Tank Volume	2.6 litres
Min. Room Volume	84 m³
Burning Duration	5 hours


The award-winning Elipse Z is one of the most popular **ebios-fire**[®] models. Decorated with the Plus X Award for High Quality and Design as "Product of the Year", this elegant floor model can be placed anywhere in a room allowing a view of its mesmerising flames all around.

The Elipse Z features the patented wick-burner, which is considered the safest bioethanol burner on the market.

The two lateral glass panels do not only protect the flames from air draught, but also beautifully reflect the calmly dancing flames.

Like all models of the **ebios-fire**[®] designer collection, the Elipse Z is fuelled by liquid bioethanol - an environmentally friendly, energy efficient biofuel – allowing you to enjoy a clean burning flame.





ELIPSE CASE




Finish	matt white or matt black with chrome
	side details
Material	Steel, stainless steel and ROBAX $^{\circ}$
	Glass
Weight	41.5 kg
Burner Type	Wick burner
Tank Volume	2.6 litres
Min. Room Volume	84 m³
Burning Duration	5 hours

With its streamlined and clean lines, the Elipse Case beautifully combines function with style. Featuring chrome side details, which reflect details of the surrounding ambience, the Elipse Case is both modern and smart – designed to add sophistication to most contemporary surrounds.

With minimalist chic and maximum practicality, the Elipse Case allows a view of its mesmerizing flames from all angles. This stylish, freestanding piece of design features the patented wick-burner, which is considered the safest bioethanol burner on the market. The two reflective glass panels protect the flames from air draught, facilitating a line of beautifully mesmerising flames.

As with the rest of the **ebios-fire**[®] range of fireplace models, also the Elipse Case is fuelled by liquid bioethanol, an environmentally friendly, renewable source of energy.



ARCHITECTURE SL




Finish	concrete or sandstone stand and matt black burner housing
Material	Steel, stainless steel concrete or sandstone and ROBAX® Glass
Weight	Around 40 kg
Burner Type	Wick burner
Tank Volume	2.6 litres
Min. Room Volume	84 m³
Burning Duration	5 hours

The **ebios-fire**[®] Architecture SL is designed with a minimalist appeal to enhance any contemporary décor inor outdoors. Its distinctive and original material mix of concrete/sandstone and metal creates a chic object for apartments, houses, and residential units as well as in commercial premises like hotels, offices, restaurants and bars.

The unique and patented wick burner in its metal housing is suspended elegantly inside the stand construction made of concrete or crafted in sandstone. As with all **ebios-fire**[®] wick burners, two reflective Robax-Glass panels are shielding the fire from air draught, creating stunning multiplications of the flames.

Fuelled by bioethanol - an environmentally friendly, renewable source of energy - the Architecture SL, like any other **ebios-fire**[®] model burns clean and smoke-free.

For outdoor use, a protective cover is available on request for the Architecture SL. In severe weather conditions, however, this **ebios-fire**[®] model should be kept indoors.



T O W E R



·····	••••
Finish	nero (black), white, terra (dark brown)
	and Corten Steel
Material	Steel, stainless steel and glass
Weight	64 kg
Burner Type	Automatic burner
Tank Volume	2 x 5 litre jerry can
Min. Room Volume	270 m³
Burning Duration	6 hours


The sleek appearance of the **ebios-fire**[®] Tower adorns any décor in- or outdoors. Owing to its effective heat output, this bioethanol fire model is popular on restaurant terraces, surrounding hotel or shop entrances providing a warm, welcoming atmosphere. Placed indoors, the Tower requires a rather lager room due to its heat output.

The automatic burner of the **ebios-fire**[®] Tower - operated by remote control – is fed from two bioethanol jerry cans which are conveniently stored in its housing underneath the burner. The flames are protected from wind by a heavy glass cylinder, which is covered with a glass plate at the top.

Fuelled by bioethanol - an environmentally friendly, renewable source of energy - the Tower, like any other **ebios-fire**[®] model burns clean and smoke-free.

For outdoors use, a protective cover is available on request. In severe weather conditions, however, this **ebios-fire**[®] model should be kept indoors.






QUADRA BASE



Finish	Brushed stainless steel or black
Material	Steel, stainless steel and ROBAX® Glass
Weight	19 kg
Burner Type	Wick burner
Tank Volume	2.6 litres
Min. Room Volume	84 m³
Burning Duration	5 hours

Square, simple, sophisticated – and ideal for smaller spaces: The Quadra Base is the most compact of the **ebios-fire**[®] Designer Collection. Being portable, this freestanding fire - which has been designed as a table top model - can be moved from room to room.

Regardless of where it is placed, the Quadra Base clean lines and minimalist design make it a perfect addition to any living space. Its long, stainless steel firebox allows a wide flame picture, which is flanked by two hardened glass panels. Adding to safety, they create beautiful reflections of a ribbon-like calmly dancing fire.




ELIPSE BASE



Finish	High gloss white, high gloss black, matt
	white, matt black, brushed stainless
<u>.</u>	steel or chrome
Material	Steel, stainless steel and ROBAX $^{\circ}$
	Glass
Weight	19,5 kg
Burner Type	Wick burner
Tank Volume	2.6 litres
Min. Room Volume	84 m³
Burning Duration	5 hours

The **ebios-fire**[®] Elipse Base is an stunningly elegant bioethanol fireplace model, which adds design appeal to any décor – placed on a piece of furniture, a counter or any other form of elevation. Perfect for any size of indoor spaces, both residential and commercial, the Elipse Base features the patented wick-burner as well as two reflective glass panels, which allow the view of captivating flames from any angle.

Just as all ebios-fire® models, the Elipse Base is fuelled by clean-burning, environmentally friendly bioethanol.



FENIX BORA




Finish	Mahogany optic with white details and smoky glass
Material	Steel, stainless steel and glass
Weight	73 kg
Burner Type	Automatic burner
Tank Volume	2 x 5 litre jerry can
Min. Room Volume	84 m³
Burning Duration	20 hours - automatic turn-off after max. 8 hours of continuous operation
Accessories	small podium (see page 35)

With its design being reminiscent of the Riva speedboats of the 50s, the **ebios-fire**[®] Fenix Bora elegantly combines the elements water and fire.

Its automatic bioethanol burner makes operation of the fire easy as well as safe, whereby the fuel is fed from jerry cans hidden in a customised podium on which the Fenix Bora rests.

This impressive fire object adorns Marinas and Luxury Hotels all around the world.



FENIX SCIROCCO




Finish	Mahogany optic with white details and smoky glass
Material	Steel, stainless steel and glass
Weight	140 kg
Burner Type	Automatic burner
Tank Volume	2 x 5 litre jerry can (non incl.)
Min. Room Volume	170 m³
Burning Duration	10 hours - automatic turn-off after max. 8 hours of continuous operation
Accessories	big podium (see page 35)

Impressive in size and design, the **ebios-fire**[®] Fenix Scirocco elegantly combines the contrasting elements of fire and water.

Its automatic bioethanol burner makes operation of the fire easy as well as safe, whereby the fuel is fed from jerry cans hidden in a customised podium on which this fire object rests.

This impressive fire object adorns Marinas and Luxury Hotels all around the world.



LIBERTY




Finish	Bronze optic
Material	Steel, stainless steel and lava stones
Weight	90kg
Burner Type	Automatic burner
Tank Volume	2 x 5 litres jerry can (non incl.)
Min. Room Volume	270 m³
Burning Duration	6 hours

Inspired by the famous icon Statue of Liberty, the ebios-fire[®] Liberty celebrates the combination of art and fire.

This luxurious fire object is made of steel in bronze optic and features an automatic bioethanol burner – operated by remote control - which is fed by fuel kept in jerry cans resting in its base.

As an impressive sculptural statement, the **ebios-fire**[®] Liberty welcomes guests in hotels, restaurants and private residences worldwide.



LAVELA MINI




Finish	La Vela mini I, II, III
Material	stainless steel, glass cylinder (not inclusive)
Weight	1,5 / 1,8 / 2,0 kg
Burner Type	Wick burner
Tank Volume	180 ml
Burning Duration	4 hours

The LaVela mini is one of the models of the extraordinary and elegant bio-ethanol fire objects.

The long and slender cylinder made of stainless steel ends with a round sturdy foot and is available in three sizes. The calm flame pattern is pleasant and can be enclosed in a glass cylinder so that it can also be enjoyed on a balcony or terrace.

The thermochrome flame is used as a safety signal showing the level of heat from black to red. The safe locking system guarantees that there is no leakage of fuel even if the burner falls over.



LAVELA MIDI



Finish	La Vela midi IV, V, VI
Material	stainless steel, glass cylinder (inclusive)
Weight	1,6 / 1,8 / 2,0 kg
Burner Type	Wick burner
Tank Volume	500 ml
Burning Duration	6 hours


The rectilinear Bio-Ethanol-candle is also avalibale in three sizes.

The LaVela midi is an high quality stainless steel design that is practical and can be used is every location. With a diameter of 8cm it stands secure without a foot ring and is a great accessory for indoor and outdoor use.

The thermochrome flame is used as a safety signal showing the level of heat from black to red.

In addition to that a wall mount (see pict. on the right) made of stainless steel and chrome is available for the LaVela midi (LaVela not included).





LAVELA GRANDE




Finish	La Vela grande VII, VIII, IX
Material	stainless steel, glass cylinder (inclusive)
Weight	11 / 12,5 / 14,0 kg
Burner Type	Wick burner
Tank Volume	500 ml
Burning Duration	6 hours

The Slender Bio-Ethanol –tourch is avalibale in three sizes.

With the LaVela grande you can put the flames perfectly in scene.

The alternative to wax dripping candels and rusted candle holders in an impressive size. The impressive slender form has a sturdy round foot made from stainless steel. It is great for indoor and outdoor use.

The thermochrome flame is used as a safety signal showing the level of heat from black to red.



A R C H I T E C T S C O L L E C T I O N

Catering especially for the requirements of architects and interior designers, the **ebios-fire**[®] Architects Collection contains a large number of bioethanol burners, fireplace inserts as well as made to measure built-in fireplaces in a number of layouts and finishes. Choosing between manual wick burners or electronically controlled bioethanol burners, creating a stunning fire feature without the necessity of a flue or chimney becomes remarkably simple with an **ebios-fire**[®] bioethanol fireplace.

As a made to measure fireplace solution, the **ebios-fire**[®] **Chelsea** is available in a wealth of layouts with various frame finishes.

1

hullul

FROM SKETCH To reality

Regardless of whether you are planning a feature fire for your client's office or home, a hotel, a restaurant or your own residence: the made to measure range of **ebios-fire**[®] bioethanol fireplaces offers a wealth of layout, finishes and possibilities. Without the necessity for a flue, chimney or bearing wall a custom-made fireplace from **ebios-fire**[®] is an easy way to create a stunning focal point.

Turning your ideas and dreams from a simple sketch into a stunning reality is what our experts are here to do. Just share your ideas with us and we will assist with suggestions for a save and functional implementation of an **ebios-fire**[®] bioethanol fireplace in your project.



.





BUILT-IN FIREPLACES

The **ebios-fire**[®] built-in fireplaces offer themselves for installations in wall constructions of brick, gas concrete or fibre plasterboard, whereby the wall is constructed around the fireplace without the need for a flue or chimney.

They are available in six different layouts and various sizes, which can accommodate either the manual wick burner or the automatic burner from **ebios-fire**[®].

Reflective SCHOTT ROBAX[®] glass panels surrounding the flames complete the look.









Finish	Powder-coated nero with black glass panel as frame and back panel
Material	Steel, black glass and isolation material
Weight	From 73 kg to 93 kg – depending on layout
Burner Type	Wick burner or automatic burner
Tank Volume	2.6 litres or two jerry cans
Min. Room Volume	84 m³
Burning Duration	5 hours


LAYOUT




FD











п














































С

,, THE PRIMARY FACTOR IS PROPORTIONS.

ARNE JACOBSEN



THE CITY



COMFORTABLE FLICKERING FLAMES FOR THE PERFECTIONIST.

Transform your old fireplace into a Nobel Bio-Ethanol Fireplace and enjoy the Ethanol Fire with the push of a button.



The City with Automatic-Burner




High quality materials in every detail.



- Automatic-burner with integrated tank and remote control.
- Available in a range of colours on request.
- Operation requires no chimney.
- Tested safety features.
- Also available as a manual-burner.



Finish	Powder-coated nero with balck pannel
Material	Aluminium, stainless steel and glass
Weight	40 kg
Burner Type	Wick burner or automatic burner
Tank Volume	2,6 / 9 liter wick / automatic burner
Min. Room Volume	84 m³ (automatic burner)
	96 m³ (wick burner)
Burning Duration	8 hours (automatic burner)
	5 hours (wick burner)



MADE TO MEASURE FIREPLACE INSERTS

Designed to fit into existing wall openings or custom-made cavities in walls constructed of fibre plasterboard (stud walls), gas concrete or brick, the fireplace inserts from **ebios-fire**[®] are made to measure solutions, which offer a wealth of options. Dimensions and layouts can be adapted to suit any flue-less fire application.

Glass panels in optic white hardened glass in front of the opening/s of the fireplace are recommended in order to protect the flames from draught.

These easily installed fireplace inserts can be equipped with either the manual wick burner or the automatic burner from **ebios-fire**[®] and require a minimum wall depth of 270mm.

Two choices of design are available: model Kensington in a timeless, no-fuss, minimalist appearance and model Chelsea which features a 50mm wide frame in brushed stainless steel, which can also be made in other metals like copper or brass as well as in other colours on request.

Each fireplace insert comes with a detailed technical drawing as well as step-by-step installation guide.



K E N S I N G T O N

LAYOUT EXAMPLES




Kensington open to front




Kensington open to front and back

Finish	Powder coated black
Material	Aluminium, stainless steel and
	optic white, hardened glass
Weight	Depending on size and layout
Burner Type	Wick burner or automatic burner
Tank Volume	≥ 2,6 litres or two 5-litres-canister (not inclusive)*
Min. Room Volume	≥ 84 m³
Burning Duration	8 hour (automatic burner) 5 hour (wick burner)

Kensington with Automatic burner



Kensington with Wick burner



CHELSEA


LAYOUT EXAMPLE



Chelsea open to front

Finish	Powder coated nero and brushed stainless steel
Material	Aluminium, stainless steel and optic white, hardened glass
Weight	Depending on size and layout
Burner Type	Wick burner or automatic burner
Tank Volume	≥ 2,6 litres or two 5-litres-canister (not inclusive)
Min. Room Volume	$\geq 84 m^3$
Burning Duration	5 Stunden

Chelsea with Automatic burner



"A HOUSE THAT DOES NOT HAVE ONE WARM, COM-FORTING FIRE IN IT IS SOULLESS.

MAY SARTON







The **Kensington ebios-fire**® can be customized according to individual wishes.





QUADRA DROP-IN

The **ebios-fire**[®] Quadra Drop-in combines one or more burners with an installation frame allowing trouble-free dropin installation. The Quadra Drop-in is available in sizes accommodating one, two or three burners next to each other.

Each features a patented wick-feeding technology which allows a safe, deflagration-free ignition. This burner type has been safety tested and approved by TÜV Germany against the German Standard DIN 4734-1 – it can be considered one of the safest bioethanol burners currently on the market.




SCHOTT ROBAX[®] glass panels surrounding the burner do not only reflect the mesmerising flames beautifully but also add to safety and functionality of the burner/s.

SAFETY FEATURES


- pressure tested tank assembly
- glass gauge with fuel level indicator
- screw-cap for fuel inlet
- pressure valve
- sealed fuel tank and wick system prevents fuel spillage if tilted



EXAMPLE QUADRA DROP-IN I / II / III




QUADRA DROP-IN I




Finish	Brushed stainless steel or black
Material	Steel, stainless steel and SCHOTT ROBAX® Glass
Weight	18.5 kg (incl. fuel)
Burner Type	Wick burner
Tank Volume	2.6 litres
Min. Room Volume	84 m³
Burning Duration	5 hours

QUADRA DROP-IN II



Finish	Brushed stainless steel or black
Material	Steel, stainless steel and SCHOTT ROBAX® Glass
Weight	33 kg (incl. fuel)
Burner Type	Wick burner
Tank Volume	2 x 2,6 Liter
Min. Room Volume	168 m³
Burning Duration	5 hours

QUADRA DROP-IN III



Finish	Brushed stainless steel or black
Material	Steel, stainless steel and SCHOTT ROBAX® Glass
Weight	47,5 kg (incl. fuel)
Burner Type	Wick burner
Tank Volume	3 x 2,6 Liter
Min. Room Volume	252 m³
Burning Duration	5 hours

QUADRA DROP-IN AUTOMATIC

The **ebios-fire**[®] Quadra Drop-in Automatic burner featuring pumps which feed bioethanol into a trough of either 500 or 1000mm width can be operated by remote control (on/off). The fuel supply is either kept in 5 liter jerry cans which are placed either underneath the fire or at a remote location. Alternatively, the burner can feature a tank which then is an integral part of the appliance.

SCHOTT ROBAX[®] glass panels surrounding the burner do not only reflect the mesmerising flames beautifully but also add to safety and functionality of the burner/s.


TECHNICAL FEATURES

- silent ignition
- operation via radio remote control
- fuel level sensor in flame tray
- humidity sensors at critical locations (leakage detectors)
- temperature sensors (no flame, no fuel and automatic cut-off if overheating)
- automatic cut-off after 8 hours of operation
- acoustic error signal
- automatic shut-down as soon as fuel inlet is opened




Quadra Inside Automatic I SL

EXAMPLE QUADRA DROP-IN AUTOMATIC I / II






QUADRA DROP-IN AUTOMATIC I



Finish	Brushed stainless steel or black
Material	Steel, stainless steel and SCHOTT ROBAX® Glass
Weight	13 kg
Burner Type	automatic burner
Tank Volume	two 5-litres-canister (not inclusive)
Min. Room Volume	84 m³
Burning Duration	Automatic cut-off after 8 hours of continuous operation

QUADRA DROP-IN AUTOMATIC II



Finish	Brushed stainless steel or black
Material	Steel, stainless steel and SCHOTT ROBAX® Glass
Weight	20 kg
Burner Type	automatic burner
Tank Volume	two 5-litres-canister (not inclusive)
Min. Room Volume	186 m³
Burning Duration	Automatic cut-off after 8 hours of continuous operation





Fascinating flames, sophisticated technology at the highest level. Quadra Inside Automatic II SL



Singular fire atmosphere made exclusively for you. *Quadra Inside Automatic II SL*







SPARTHERM Feuerungstechnik GmbH Maschweg 38 D-49324 Melle Tel. +49 5422 9441-0

Fax +49 5422 9441-14

info@ebios-fire.com www.ebios-fire.com

